

Flush distribution board, 4 modules. Fume door.

Flush distribution board, 4 modules. Fume door.White frame. Flush dimensions 140 x 270 x 72 mm.  
Common applications: Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)



Features

|                                                  |                     |
|--------------------------------------------------|---------------------|
| Enclosure type                                   | Distribution        |
| Installation method                              | Flush in work       |
| Use                                              | Domestic / Tertiary |
| Location type                                    | Inside              |
| No. Modules (18 mm)                              | 4                   |
| Modules per row                                  | 4                   |
| Metallic DIN profile                             | Yes                 |
| Dimensions outside (mm) (width x height x depth) | 165x300             |
| Dimensions inside (mm) (Width x Height x Depth)  | 140x270x72          |
| Case material                                    | Insulation          |
| Frame and door material                          | Insulation          |
| Case color                                       | Black               |
| Cap color                                        | White               |
| Door color                                       | Fume                |
| Door opening                                     | Vertical            |
| Battens included                                 | No                  |
| Ticket type                                      | Unfathomable        |
| Fixation System (For surface)                    | Inside              |

|                                       |                      |
|---------------------------------------|----------------------|
| Sealable                              | Sealable compartment |
| Lid closure system                    | Metal screw          |
| Door closing system                   | A Pressure           |
| Reversible door                       | Yes                  |
| Separate covers or doors on the boxes | Yes                  |
| Possibility of mounting DIN rail      | Yes (included)       |
| Captive screw                         | Yes                  |

## Technical data

|                                 |                      |
|---------------------------------|----------------------|
| Protection Degree (IP)          | IP40                 |
| Protection Degree (IK)          | IK08                 |
| Insulation class                | Class II             |
| Fire resistance (GWEPT)         | 650 °C               |
| Heat resistance (Ball pressure) | 70 °C                |
| Installation temperature        | -5 °C -> +60 °C      |
| Ambient operating temperature   | -5 °C ; +60 °C       |
| Work stress                     | <1000 Vca ; 1500 Vcc |
| Free of halogens                | Yes                  |

## Regulations

|                                                                     |                   |
|---------------------------------------------------------------------|-------------------|
| CE marking                                                          | Yes               |
| UK marking                                                          | Yes               |
| CMim marking                                                        | Yes               |
| According to Regulations UNE/EN                                     | UNE-EN 62208:2012 |
| According to REBT                                                   | Yes               |
| According to European Directive 2014/35 / EU. Low voltage directive | Yes               |

## Sustainability

|                                                   |                                                                                                                                                                    |
|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| According to European Directive 2011/65/UE (RoHS) | The Directive 2011/65/EU (RoHS II) is not applicable as it does not correspond to the definition of Electrical and Electronical Equipment (EEE) as per article 3.1 |
|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|

According to European Directive  
2012/19/UE (RAEE2)

Not applicable because it does not meet the definition of Electrical and Electronic  
Equipment (EEE) as described in Article 3.1(a) of Directive 2012/19/EU (WEEE II).

## Sketch

