

Flush distribution metal cabinet of 198 modules.

Flush distribution metal cabinet of 198 modules.6 rows x 33 modules. IP30. IK09. White colour. Sheet metal 1 mm. Flush dimensions 707 x 1035 x from 140 to 165 mm (adjustable). With 35 mm DIN rail. Class I. Reversible door. Removable chassis. Earth and neutral terminals included.



Features

Enclosure type	Distribution
Installation method	Flush in work
Use	Domestic / Tertiary
Location type	Inside
No. Modules (18 mm)	198
Modules per row	33
Removable frame	Yes
Metallic DIN profile	Yes
Dimensions gap (mm) (Width x Height x Depth)	707 x 1035 x (140-165)
Case material	Metallic
Frame and door material	Metallic
Case color	White
Cap color	White
Door color	White
Door opening	Horizontal
Battens included	Yes (Screw terminals)
Strip type	Neutral + Ground
No. of terminals and size	TT (2x25 mm2 + 78x16 mm2) + N (2x25 mm2 + 38x16 mm2)
Ticket type	Unfathomable
Sealable	Not

Lid closure system	1/4 turn screw without spring
Door closing system	Handle
Reversible door	Yes
Possibility of mounting strips	Yes (included)
Possibility of putting lock	Key
Separate covers or doors on the boxes	Yes
Possibility of mounting DIN rail	Yes (included)
Common applications	Indoor domestic / tertiary environment (Interior of home, offices, shops, etc.)


Technical data

Protection Degree (IP)	IP30
Protection Degree (IK)	IK09
Impact shock resistance	Medium
Insulation class	Class I
Fire resistance (GWEPT)	650 °C
Ambient operating temperature	-5 °C ; +60 °C
Work stress	<1000 Vac ; 1500 Vdc
Free of halogens	Yes

Regulations

CE marking	Yes
UK marking	Yes
CMim marking	Yes
According to Regulations	UNE-EN 62208: 2012
According to Regulations UNE/EN	UNE-EN 61439-1: 2021 UNE-EN 61439-3: 2012 UNE-EN 61439-4: 2013
According to REBT	Yes
According to European Directive 2014/35 / EU. Low voltage directive	Yes

Sketch



Sketch

	A	B	C	D	E	F
M3E72-1	572	642	545	585	651	467
M4E96-1	572	792	545	735	651	617
M5E120-1	572	942	545	885	651	767
M6E144-1	572	1 092	545	1 035	651	917
M4E132-1	734	792	707	735	813	617
M5E165-1	734	942	707	885	813	767
M6E198-1	734	1 092	707	1 035	813	917

